

In The Claims. The claims are unamended, as follows:

1. (original) A method of editing a set of information comprising a plurality of objects, the method comprising:

receiving a first set of at least one command in a graphical editor, said graphical editor allowing the
5 information in the set to be edited by graphical manipulation of graphical representations of the plurality of the objects, said graphical representations comprising at least one selected from a graphic and a text character; and

10 displaying at a location on a display screen a text-based editor for at least one selected from:

adding text to, and

altering text of,

a portion of the information, the portion and the location
15 responsive to at least the first set of at least one command.

2. (original) The method of claim 1 additionally comprising:

receiving from an author at least one text alteration via the text-based editor; and

5 altering the information responsive to the receipt of
the at least one text alteration and the first set of at
least one command.

3. (original) The method of claim 2:

10 additionally comprising receiving a second set of at
least one command after at least a portion of the first set
of at least one command is received; and

wherein the altering step is responsive to the second
set of at least one command.

4. (original) The method of claim 1 wherein the first
set of at least one command comprises a selection of at
least one of the plurality of objects.

5. (original) The method of claim 4 wherein the
location is responsive to a location of the at least one
object selected.

6. (original) The method of claim 1 wherein the first
set of at least one command comprises an indication of a
location of an insertion point.

7. (original) The method of claim 6 wherein the
displaying step comprises displaying the text-based editor
responsive to the location of the insertion point.

8. (original) The method of claim 1 wherein at least a plurality of the plurality of objects each comprise a command, and the text based editor allows at least one
5 selected from an addition and an alteration of not more than one of said commands at one time and an addition of not more than one additional command at a time.

9. (original) The method of claim 8 wherein said commands each comprise not more than one begin tag and the additional command comprises not more than one additional begin tag.

10. (original) The method of claim 1 additionally comprising displaying at a second location of a display screen an additional text based editor for at least one selected from:

5 adding text to, and

altering text of,

at least a second portion of the information, at least one selected from the second portion and the second location unresponsive to at least the first set of at least
10 one command.

11. (original) The method of claim 1 wherein the information comprises source code.

12. (original) The method of claim 11 wherein the source code comprises source code for a web page.

13. (original) The method of claim 11 wherein the source code comprises source code for graphical information.

14. (original) The method of claim 1:

additionally comprising identifying an initial text responsive to the set of information and the indication of the at least one command; and

5 wherein the displaying step is responsive to the initial text identified.

15. (original) The method of claim 1 wherein the text-based editor operates in one of a plurality of modes of operation responsive at least to the first set of at least one command.

16. (original) The method of claim 15:

additionally comprising identifying a label responsive to the indication of the at least one command;

5 wherein the displaying step is responsive to the initial text identified; and

wherein the label identifies the one of the plurality of modes of operation of the text-based editor.

17. (original) The method of claim 1 wherein the displaying step comprises:

identifying at least one label responsive to the first set of at least one command; and

5 displaying the at least one label identified.

18. (original) The method of claim 1:

wherein the text-based editor accepts at least one word from a plurality of possible words; and

the method additionally comprising displaying the
5 plurality of possible words.

19. (original) The method of claim 18 wherein the displaying the plurality of possible words is responsive to a location of a cursor in the text editor.

20. (original) The method of claim 18 wherein:

the plurality of possible words comprises at least one value of an attribute; and

the displaying the plurality of possible words step is
5 responsive to at least one value of each of at least one corresponding attribute in the set of information.

21. (original) The method of claim 1 wherein:

the text-based editor is additionally for receiving a command indicating a request to select a subset of text in the text-based editor; and

5 the method additionally comprising selecting the subset of text responsive to said command.

22. (original) The method of claim 1, additionally comprising:

checking a syntax of the text; and

altering the text responsive to the checking step.

23. (original) A system for editing a set of information comprising a plurality of objects, the system comprising:

a graphics editor having a first input for receiving a
5 first set of at least one command, and a second input for receiving the set of information, the graphics editor for allowing the information in the set to be edited by graphical manipulation received at the graphics editor
first input of graphical representations of the plurality
10 of the objects provided at a graphics editor first output, said graphical representations comprising at least one graphic and comprising at least zero text characters, said graphics editor additionally for providing an indication of

the at least one command in the first set at a graphics

15 editor second output; and

an editor manager having a first input coupled to the
graphics editor second output for receiving the indication,
and a second input for receiving the set of information,

the editor manager for displaying at a location of a

20 display screen via a first output a text-based editor for

at least one selected from:

adding text to, and

altering text of,

a portion of the information, the portion and the

25 location responsive to the first set of at least one
command.

24. (original) The system of claim 23 wherein:

the editor manager is additionally for receiving from
an author at a third input at least one text alteration and
for providing at least the text alteration at a second

5 output; and

the system additionally comprising a commit manager
having a first input coupled to the editor manager output
for receiving the text alteration, and a second input for

receiving at least a portion of the set of information, the
10 commit manager for altering via a second output the set of
information responsive to the at least one text alteration
and the first set of at least one command.

25. (original) The system of claim 24 wherein the
commit manager alters the set of information additionally
15 responsive to a second set of at least one command received
at a third input after at least a portion of the first set
of at least one command is received.

26. (original) The system of claim 23 wherein the
first set of at least one command comprises a selection of
at least one of the plurality of objects.

27. (original) The system of claim 26 wherein the
location of the text-based editor displayed by editor
manager is responsive to a location of the at least one
object selected.

28. (original) The system of claim 23 wherein the
first set of at least one command comprises an indication
of a location of an insertion point.

29. (original) The system of claim 28 wherein the
location of the text-based editor displayed by editor
manager is responsive to the location of the insertion
point.

30. (original) The system of claim 22 wherein at least a plurality of the plurality of objects each comprise at least one command and the text-based editor provided by the editor manager allows at least one selected from an
5 alteration of not more than one of said commands at one time and an addition of not more than one additional command at a time.

31. (original) The system of claim 30 wherein said commands each comprise not more than one begin tag and the additional command comprises not more than one begin tag.

32. (original) The system of claim 22 additionally
5 comprising a code editor for displaying an additional text based editor at a second location of a display screen, the additional text based editor for at least one selected from:

adding text to, and

10 altering text of,

at least a second portion of the information, at least one selected from the second portion and the second location unresponsive to at least the first set of at least one command.

33. (original) The system of claim 23 wherein the information comprises source code.

34. (original) The system of claim 33 wherein the source code comprises source code for a web page.

35. (original) The system of claim 33 wherein the source code comprises source code for graphical information.

36. (original) The system of claim 34:

additionally comprising an initial text/label selector having a first input coupled to the graphics editor second output for receiving the indication of the at least one
5 command, and a second input operatively coupled for receiving the set of information, the initial text/label selector for identifying an initial text responsive to the indication and the set of information and providing the initial text at an output; and

10 wherein the editor manager additionally comprises a third input coupled to the initial text/label selector for receiving the initial text and the editor manager displays the text editor responsive to the initial text.

37. (original) The system of claim 34 wherein the editor manager operates the text-based editor in one of a plurality of modes of operation responsive at least to the first set of at least one command.

38. (original) The system of claim 37:

additionally comprising an initial text/label selector having a first input coupled to the graphics editor second output for receiving the indication of the at least one
5 command, the initial text/label selector for identifying a label responsive to the indication and providing the label at an output;

wherein the editor manager additionally comprises a third input coupled to the initial text/label selector for
10 receiving the label and the editor manager displays the text editor responsive to the label; and

wherein the label identifies the one of the plurality of modes of operation of the text-based editor.

39. (original) The system of claim 23:

additionally comprising an initial text/label selector having a first input coupled to the graphics editor second output for receiving the indication of the at least one
5 command, the initial text/label selector for identifying a label responsive to the indication and providing the label at an output;

wherein the editor manager additionally comprises a third input coupled to the initial text/label selector for
10 receiving the label and the editor manager displays the text editor responsive to the label.

40. (original) The system of claim 23:

wherein editor manager additionally comprises a third input operatively coupled for receiving at least one word from a plurality of possible words; and

5 the system additionally comprising a hint manager for displaying at an output the plurality of possible words.

41. (original) The system of claim 40, wherein:

the text-based editor comprises a cursor having a location provided at a second output of the editor manager; and

5 the hint manager comprises a first input coupled to the editor manager second output for receiving the location of the cursor, and the hint manager displays the plurality of possible words responsive to the location of a cursor.

42. (original) The system of claim 40 wherein:

the plurality of possible words comprises at least one value of an attribute; and

the hint manager additionally comprises a second input
5 operatively coupled for receiving the set of information, and the hint manager displays the plurality of possible words responsive to at least one value of each of at least one corresponding attribute in the set of information.

43. (original) The system of claim 23 wherein:

the editor manager additionally comprises a third input for receiving a command indicating a request to select a subset of text in the text-based editor; and

5 the editor manager additionally for selecting the subset of text responsive to said command received at the editor manager third input.

44. (original) The system of claim 23, wherein the editor manager is additionally for checking a syntax of the text and altering the text responsive to the editor manager identifying a syntax error.

45. (original) A computer program product comprising a computer useable medium having computer readable program code embodied therein for editing a set of information comprising a plurality of objects, the computer program
5 product comprising computer readable program code devices configured to cause a computer to:

receive a first set of at least one command in a graphical editor, said graphical editor allowing the information in the set to be edited by graphical
10 manipulation of graphical representations of the plurality of the objects, said graphical representations comprising

at least one graphic and comprising at least zero text
characters; and

display at a location on a display screen a text-based
15 editor for at least one selected from:

adding text to, and

altering text of,

a portion of the information, the portion and the location
responsive to at least the first set of at least one
20 command.

46. (original) The computer program product of claim
45 additionally comprising computer readable program
code devices configured to cause the computer to:

receive from an author at least one text alteration
5 via the text-based editor; and

alter the information responsive to the receipt of the
at least one text alteration and the first set of at least
one command.

47. (original) The computer program product of claim
10 46:

additionally comprising computer readable program code
devices configured to cause the computer to receive a

second set of at least one command after at least a portion of the first set of at least one command is received; and

15 wherein the computer readable program code devices configured to cause the computer to alter are responsive to the second set of at least one command.

48. (original) The computer program product of claim 47 wherein the first set of at least one command comprises a selection of at least one of the plurality of objects.

49. (original) The computer program product of claim 48 wherein the location is responsive to a location of the at least one object selected.

50. (original) The computer program product of claim 45 wherein the first set of at least one command comprises an indication of a location of an insertion point.

51. (original) The computer program product of claim 50 wherein the displaying step comprises displaying the text-based editor responsive to the location of the insertion point.

52. (original) The computer program product of claim 45 wherein at least a plurality of the plurality of objects each comprise a command, and the text based editor allows at least one selected from an addition and an alteration of

5 not more than one of said commands at one time and an
addition of not more than one additional command at a time.

53. (original) The computer program product of claim
52 wherein said commands each comprise not more than one
begin tag and the additional command comprises not more
than one begin tag.

53. (original) The computer program product of claim
45 additionally comprising computer readable program code
devices configured to cause the computer to display at a
second location of a display screen an additional text
5 based editor for at least one selected from:

adding text to, and

altering text of,

at least a second portion of the information, at least
one selected from the second portion and the second
10 location unresponsive to at least the first set of at least
one command.

55. (original) The computer program product of claim
45 wherein the information comprises source code.

56. (original) The computer program product of claim
55 wherein the source code comprises source code for a web
page.

57. (original) The computer program product of claim
55 wherein the source code comprises source code for
graphical information.

58. (original) The computer program product of claim
45:

5 additionally comprising computer readable program code
devices configured to cause the computer to identify an
initial text responsive to the set of information and the
indication of the at least one command; and

wherein the computer readable program code devices
configured to cause the computer to display are responsive
to the initial text identified.

59. (original) The computer program product of claim
45 wherein the text-based editor operates in one of a
plurality of modes of operation responsive at least to the
first set of at least one command.

60. (original) The computer program product of claim
59:

5 additionally comprising computer readable program code
devices configured to cause the computer to identify a
label responsive to the indication of the at least one
command;

wherein the computer readable program code devices configured to cause the computer to display are responsive to the initial text identified; and

10 wherein the label identifies the one of the plurality of modes of operation of the text-based editor.

61. (original) The computer program product of claim
45 wherein the computer readable program code devices configured to cause the computer to display comprise computer readable program code devices configured to cause
5 the computer to:

identify at least one label responsive to the first set of at least one command; and

display the at least one label identified.

62. (original) The computer program product of claim
45:

wherein the text-based editor accepts at least one word from a plurality of possible words; and

5 the computer program product additionally comprising computer readable program code devices configured to cause the computer to display the plurality of possible words.

63. (original) The computer program product of claim
62 wherein the computer readable program code devices

configured to cause the computer to display the plurality
of possible words are responsive to a location of a cursor
5 in the text editor.

64. (original) The computer program product of claim
62 wherein:

the plurality of possible words comprises at least one
value of an attribute; and

5 the computer readable program code devices configured
to cause the computer to display the plurality of possible
words step are responsive to at least one value of each of
at least one corresponding attribute in the set of
information.

65. (original) The computer program product of claim
45 wherein:

the text-based editor is additionally for receiving a
command indicating a request to select a subset of text in
5 the text-based editor; and

the computer program product additionally comprising
computer readable program code devices configured to cause
the computer to select the subset of text responsive to
said command.

66. (original) The computer program product of claim 45, additionally comprising computer readable program code devices configured to cause the computer to:

check a syntax of the text; and

5 alter the text responsive to the computer readable program code devices configured to cause the computer to check.